



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**28940 - Polysorbate 80 (Tween 80) extrapure -
[9005-65-6]**

Batch No

6845679

Analysis Date

16-Oct-2024

Date of Manufacture

October 2024

Expiry Date/Re-Test Date

October 2029

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Pale yellow to yellow to amber yellow	Pale yellow
Appearance (Form)	Viscous liquid	Viscous liquid
Density (g/ml) @ 20°C	1.077 - 1.081 g/ml	1.079 g/ml
Refractive Index (20°C)	1.471 - 1.475	1.472
Acid value	max. 2.0	0.9
Hydroxyl value	65 - 80	73.5
Saponification value	45 - 55	50.0
Water (KF)	max. 3.0%	2.1%

FRM/82/11/4/28940 Rev No. 2 Date 12/08/2023

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001:2015, 17025:2017, CE, GMP Certified Company