



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

# Certificate of Analysis

**Product**

**95188 - Polysorbate 80 (Tween 80) ExiPlus,  
Multi-Compendial - [9005-65-6]**

**Batch No**

**5438005**

**Analysis Date**

16-Oct-2024

**Date of Manufacture**

October 2024

**Expiry Date/Re-Test Date**

October 2029

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of BP	Passes
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Pale yellow to yellow to amber yellow	Pale yellow
Appearance (Form)	Viscous liquid	Viscous liquid
Density (g/ml) @ 20°C	1.077 - 1.081g/ml	1.079 g/ml
Refractive Index (20°C)	1.471 - 1.475	1.472
Acid value	max. 2.0	0.9
Hydroxyl value	65 - 80	73.5
Saponification value	45 - 55	50.0
Water (KF)	max. 3.0%	2.1%

FRM/82/11/4/95188 Rev No. 2 Date 12/08/2023

Prepared by Priti

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.